Make a Dash(board) for it! Custom Record and Reader Dashboard Enhancements for Greater Operations/Advising Efficiencies

Jon Rowand
Slate Innovation Festival
May 17, 2022

AGENDA

- ✓ Dashboard build components
- ✓ Dashboard design piece examples
 - Application records tabs
 - Conditional displays with liquid markup
 - Reader/workflow bin hyperlinks
 - Direct registrations for events and forms
 - Reader portals
 - * "Tags" customization
 - * Material & School record popups

√Q&A

Start with the Basics -> Progressively More Advanced Tips


Dashboard Build Components

Application Dashboard

- Powered by a system folder query*
- App Dashboard = Designed in the Edit Dashboard WYSIWYG editor
- Reader Portal Dashboard could be a System folder dashboard(Dashboard Reader), but more functionality with portal methods, views and multiple queries


*Configurable Joins Query Bases Recommended

Dashboard Query's Edit Settings



Query Exports - Renamed to be Computer-Friendly

e.g. dashes (-) or underscores (_) instead of spaces



Some Basics (with flair)

Program: Instructional Technology and Media

Degree: Doctor of Education


Department: MST

Registration Status: No


Application Liaison: Jon Rowand

Checklist

Insert Requirement



What can we customize/enhance?





Let's Level Up!

Conditional Displays with Liquid Markup


Program: Instructional Technology and Media

Degree: Doctor of Education


Department: MST

Registration Status: No

Application Liaison: Jon Rowand



{% if {{registration_status}} == '1' %}REGISTERED{% else %} NOT REGISTERED{% endif %}



Program: Instructional Technology and Media

Degree: Certificate Department: MST

Registration Status: NOT REGISTERED


Application Liaison: Jon Rowand

Program: Instructional Technology and Media

Degree: Certificate Department: MST

Registration Status: REGISTERED Application Liaison: Jon Rowand

Conditional Displays with Liquid Markup





Read Application > Workflows dropdown selection > Read (i.e. click, click, click..."There's gotta be a better way!")

Conditional Displays with Liquid Markup


Building out workflow bin hyperlinks








← → G (§ https://greendalecc.edu/manage/reader/?r=https%3a%2f%2fgreendalecc.edu%2fmanage%2flookup%2frecord%3fid%3dfa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-a40c-51854ad23e4a&id=fa32173c-0144-45a1-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a43-ae19-0fffa96f0a63%26tab%3dApplication%252fWorkflows&b=9e0427c3-814f-4a646f0aff0aff0aff					
slate	314918863 Lane (TEST), Penny		REV	Test Record	Search	
Siate	$1\ /\ 1$, Transcript: University of Washington (University of Washington - Transc	cript (Copy))				
TEST						
Application						





```
<h3>
    Current Workflow(s) Bins
    </h3>
    </h3>
{% if ug_workflow_yn == "Y" %}<a href="{{ug_workflow_bin_url}}" target="_blank">{{-ug_workflow_bin-}}</a><br/>
{% if grad_workflow_yn == "Y" %}<a href="{{grad_workflow_bin_url}}" target="_blank">{{-grad_workflow_bin-}}</a><br/>
{% if act_workflow_yn == "Y" %}<a href="{{act_workflow_bin_url}}" target="_blank">{{-act_workflow_bin-}}</a><br/>
{% if scholarships_workflow_yn == "Y" %}<a href="{{scholarships_workflow_bin_url}}" target="_blank">{{-scholarships_workflow_bin-}}</a><br/>
{% if scholarships_workflow_yn == "Y" %}<a href="{{scholarships_workflow_bin_url}}" target="_blank">{{-scholarships_workflow_bin-}}</a>
```

Current Workflow(s) Bins {% if ug_workflow_y...} {{ug_workflow_bin}} {% endif %} {% if grad_workflow...} {{grad_workflow_bin}} {% endif %} {% if act_workflow_...} {{act_workflow_bin}} {% endif %} {% if scholarships_...} {{scholarships_workflow_bin}} {% endif %}

Current Workflow(s) Bins

<u>Graduate Application Review: Admit</u> <u>Admission Counselor Touchpoints: Admit - Phone Call</u>

Current Din: Admit

Admit

Reason: Admit Pending Transcripts

Status: Received

Reader/Workflows Bins

Graduate Application Review: Admit

Admission Counselor Touchpoints: Admit - Phone Call

Special Scholarships: Award Scholarship

Overview

Financial Aid

Workflows

Portfolio

Populations

Read Application

Download PDF

<u>Impersonate > Applications</u>

Impersonate > Status Page



The Default Application Dashboard is sticking around...

"There's gotta be a better way!"

How to remove Slate's delivered out-of-the-box dashboard header table?

With a dash of JavaScript



```
<body>
  <script type="text/javascript">
   //Hide the built-in dashboard
   $d_div_count = $('.dashboard >
div').length;
if ($d_div_count > 1) {
  $('td > .dashboard > h2 ~ div:nth-child(-
1n+5)').remove();
  $('td > .dashboard > h2').remove();
  </script>
```

Customized application record tab dashboard header table

2022 Summer


Submitted: 03/01/2022 Last Updated: 05/16/2022

Bin: Degree Applications - Final Admission Review

Queue: Jon Rowand

Decision: Withdraw > Withdraw-Incomplete

Status: Released on 04/15/2022



2022 Summer

Decided Submitted March 1, 2022 Last updated May 16, 2022 Current Bin: Final Admission Review

Queue: Jon Rowand

Withdraw

Reason: Withdraw Incomplete

Status: Released

Direct registrations for events and forms


Recreating the register link with query string parameters appended to the URL (App GUID, Person GUID)



Edit Part Active 🗸 Status erf url Name Subquery Export Source Dependent subquery Type Output Concatenate > Row Separator $n = \text{New Line}; \ t = \text{Tab}; \ \ = \text{Escaped Backslash}$ Row Offset Row Limit Export T Exports https://glendalecc.edu/manage/form/register/EnrollmentResponse?perso.. Application GUID ▼ Filter 📢 NOT (OR) 🐽 Join Filters

For example:


Counselors or student workers outreach to unresponsive admitted and/or deposited students.





BONUSFun with icons

A couple more dashes of JavaScript?

Hide the "Impersonate > Application" link, then recreate it on the App Dashboard







2022 Fall

Submitted: 03/28/2022
Last Updated: 05/16/2022
Impersonate > Applications

Program: Instructional Technology and Media


Degree: Doctor of Education

Department: MST

Registration Status: REGISTERED
Application Liaison: Jon Rowand

A couple more dashes of JavaScript?

Impersonate > Status Page



Impersonate > [custom label]

For example:

```
Read Application

Download PDF


Impersonate > Applications


Impersonate > Student Portal

Edit Application Details
```

```
<script type="text/javascript">
   //Change text for Impersonate >
   Status Page
   $('li > a:contains("Impersonate >
   Status Page")').text('Impersonate >
   Student Portal');
</script>
```

Student Information System (SIS) Deep Link Buttons (Banner)






https://banner.tc.columbia.edu/applicationNavigator/seamless?=SAADCRV&person={{person-GUID}}

"Tags" Customization





Conditional Displays with Liquid Markup

[refer back to Application Dashboard examples]

Some room for creativity here

For example:


- Fraud review
- Director/Dean hold

Any highlights that you don't want faculty and/or readers to be biased by.


Popup Windows for Bringing Tabs into the Reader

Editing school details while reading


Screen #1




Screen #2





Popup Windows for Bringing Tabs into the Reader



Export Merge Field and Hyperlink on the View







Another Example

Materials tab > marking a material as illegible

Application/Person Scoped Form Submissions

Review Forms				
Date ▼		Bin		
03/03/2022	Processing Review Form	Complete Application		
03/07/2022	Program Review Form	Faculty Program Review		
03/09/2022	Admission Decision Allocation Form	Final Admission Review		

For Example

Workflows or bin processes that require protecting sensitive information such as fraud or criminal background check review

Application/Person Scoped Form Submissions

Create a portal Method and a View for your popup

View (popup)

Edit Part (Form)						
Name	Form Popup					
Status	Active 🕶					
CSS Class Name	Form-Popup					
Form	Tab Forms - Form-Popup					
Submission Behavior	✓ Reload portal when form is submitted					
Popup	Form is inside a popup					
Query String Parameters	✓ Enable passing form-related query string parameters into the form (i.e. person, form_fieldKey)					
Filters						
Matching Rows	920					
Filters	▼ Filter					

Method (popup)

	<u> </u>
Edit Details	
Status	Active 🕶
Name	Form Popup
Туре	GET 🕶
Output Type	AJAX Popup/No Branding ∨
Page Title	
Action	formpopup
View	Form Popup

View (dashboard)

 $< a \ data-href="?cmd=formpopup\&person={\{app_guid\}}" \ href="#" \ onclick="\$(this).parents('tr').css('font-style', 'italic'); \\ return(FW.Lazy.Popup(this, \{width: '500px'\}));">< span \ style="background-color:#004B87; \ color:white;">Form
br /> (br /> this).parents('tr').css('font-style', 'italic'); \\ return(FW.Lazy.Popup(this, \{width: '500px'\}));">< span \ style="background-color:#004B87; \ color:white;">Form
br /> (br /> this).parents('tr').css('font-style', 'italic'); \\ return(FW.Lazy.Popup(this, \{width: '500px'\}));">< span \ style="background-color:#004B87; \ color:white;">Form
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a>
/a><br$

Thank you for participating!

Any Questions?

Jon Rowand

jrowand@reworkflow.com

https://www.linkedin.com/in/jonmaesrowand/
Slate Slack Users Group - https://slate-users.slack.com/